

Two checkered racing flags, one on the left and one on the right, are shown waving. They have a black and white checkerboard pattern. The flags are positioned behind the main headline.

*COMPETE ON*  
***ANOTHER LEVEL***

INTRODUCING  
LLUMAR® PLATINUM  
PAINT PROTECTION FILM  
WITH HYDROGARD™ TECHNOLOGY



# LLUMAR® PLATINUM PAINT PROTECTION FILM



## WHAT'S NEW


Superior stain resistance and enhanced durability are now available with LLumar's industry leading clear coat with **Hydrogard™** technology. This innovative hydrophobic polymer coating works by preventing water and dirt from embedding into the surface of the film, helping keep cars looking cleaner, longer.



**10 Year Limited Warranty** including labour allowance\* for a competitive advantage and customer peace of mind



Advanced Water Resistant Surface for Increased Durability with **Hydrogard™** technology



Superior Stain Resistance against dirt, oil, tar and bugs

## WHAT YOU'VE COME TO EXPECT

- Repositionable adhesive provides flexibility with minimal risk of adhesive lines
- Advanced self-healing clear coat resists scuffing during installation
- 3" /76 mm core is easy to handle and use on a plotter
- Comprehensive, high-quality pattern database available
- High gloss and matte finishes match factory clear coat or custom matte paint
- 60" /1.520 mm wide rolls provide full hood coverage without seams
- Installation training videos and classes offered




Self-Healing Protection against paint chips and scratches

## How Does It Compare?

Enhanced Benefits	LLumar® PPF	<b>NEW</b> LLumar® Platinum PPF
Scratch Resistance	Self-healing	Self-healing
Stain and Dirt Resistance	Good	Superior
Hydrophobic Surface	None	Advanced
Manufacturer's Limited Warranty	5 Years w/ Labour Allowance	10 Years w/ Labour Allowance

## STAIN TEST RESULTS



## Film Roll Widths (applicable for both product lines)

PAINT PROTECTION FILM	12" / 300 mm	18" / 457 mm	24" / 600 mm	30" / 762 mm	36" / 914 mm	48" / 1.220 mm	60" / 1.520 mm
Gloss Finish - 50' / 15 mm Roll Length							•
Gloss Finish - 100' / 30 m Roll Length	•	•	•	•	•	•	
Matte Finish - 50' / 15 mm Roll Length							•
Matte Finish - 100' / 30 m Roll Length						•	

## LLumar® PrecisionCut® Optimizes PPF Installation

**Turnkey system:** The LLumar PrecisionCut System comes with everything you need to get started. The process is simple. From your computer you can select patterns from one of the databases and arrange them to minimize film waste. Send the file to the plotter, and your film will be precisely cut to fit your installation.

**Industry-leading patterns:** Our pattern design team averages more than 10 years' experience in pattern making and is optimizing and adding to our database daily. Cut full vehicle kits or individual patterns with smooth edges and corners for an easy lay down during installation.

**User-friendly operation:** With a few days practice, you will master the basic operations of the system and be ready to explore the extensive capabilities available for the advanced user.

**Training and support:** Our Technical Support staff will offer training on the setup and operation of the LLumar PrecisionCut System. You will also receive step-by-step training through our online technical support tools.


ASK ABOUT  
PACKAGE  
OPTIONS AND  
PRICING



## Marketing Tools Help Attract Customers and Close the Sale

The program is fully supported with professional marketing and consumer selling tools designed for use online and in your showroom to help you grow your business.

### WEBSITE & SOCIAL TOOLS



### POINT OF SALE TOOLS



PPF Brochure



PPF Heat Unit



PPF Wallboard

**EASTMAN**

LLumar.com

**LLumar**

\*10 year manufacturer's limited warranty includes labour allowance against peeling, yellowing and cracking. \*Certain restrictions apply; see an authorised dealer for warranty details. © 2017 Eastman Chemical Company. LLumar® and the LLumar® logo are trademarks of Eastman Chemical Company or one of its wholly owned subsidiaries. The ® used herein denotes registered trademark status in the US; marks referenced herein may also be registered internationally. Visual renderings are for illustrative purposes only; actual appearance may vary. All rights reserved. No liability is accepted for errors. Version 1.00.0317